

For over 25 years Fab Tec Belt Feeders have been proving that if aggregate equipment is built tough, it will work tough in a variety of demanding applications.



## Belt Feeder Features & Options





### Standard 20 HP Belt Feeder drive:

- Falk 5215 shaft mount reducer and #120 chain drive reduc-
- $16\ensuremath{^{\prime\prime}}$  vulcanized lagged pulley mounted on 2 15/16" alloy shafts and Dodge SCM bearings.
- Heavy duty drives are readily available with 30 HP motors, #140 chain reduction, and oversize shafts and bearings.

## Belt & Idler system:

- 3 ply belt with optional vulcanized splice. Optional 675# belt for extreme applications.
- Close setting C5" steel rolls, or Rubber Impact idlers.
- Skirt board available in rubber, AB50, or Canoe Liners.
- Belt scrapers in either Fab Tec Combi-wipe or Superior Exterra system.

## Self-relieving grizzly. Fold-down side panels to cover



10 HP grizzly power unit.

## **Hydraulic Dump Grizzly:**

Standard 3/4" x 7" bar topped w/ 1 1/2" Ø bar; Optional 1" x 7" bar w/ 2 1/2" Ø bar.

carrier below hopper.

- Optional Self–relieving Grizzly allows every other bar to lift and clear rock lodged in bars.
- Optional reversible grizzly can be hinged to dump from either side.

## More Options



Hydraulic conveyor lift on Discharge conveyor.





Rubber Curtains on grizzly hopper.

Holland "Binkley Jack"



Switchgear mounted on stand with 15' of SO cord that can be set on ground.



# TEC Belt Feeders are available Belt Feeders configurations in many configurations





